

PILOT EXTRA

Winter gloves

Made of the highest quality cow grain leather.

Provided with a fleece lining.

They provide protection against mechanical hazards and also against exposure to contact with convective cold.

They are used in work requiring relatively high dexterity.

The gloves meet general requirements for personal protective equipment provided in Regulation (EU) 2016/425 and in the Harmonized Standards: EN 21420, EN 388 and EN 511.



Technical Information:

Material:	cow grain leather
Performance level:	2142X, X2X
Sizes:	9, 10
Order numbers:	R-I-PILOTEXTRA-XX* *insert size for XX

EN 388 Protective gloves against mechanical risks

EN 388	*Performance level	1	2	3	4	5	
	Resistance to abrasion / cycles	100	500	2000	8000	-	
	Cut resistance / index	1,2	2,5	5	10	20	
	Tear strength [N]	10	25	50	75	-	
	Puncture resistance [N]	20	60	100	150	-	
			A	B	C	D	E
	Cut resistance (TDM) [N]	2	5	10	15	22	30

The letter X means that the test was not preformed.

EN 511 Protective gloves against cold

EN 511	*Performance level	1	2	3	4
	Resistance to convective cold I_{TR} [m ² K/W]	$0.10 \leq I_{TR} < 0.15$	$0.15 \leq I_{TR} < 0.22$	$0.22 \leq I_{TR} < 0.30$	$0.30 \leq I_{TR}$
	Resistance to contact cold R [m ² K/W]	$0.025 \leq R < 0.050$	$0.050 \leq R < 0.100$	$0.100 \leq R < 0.150$	$0.150 \leq R$
	Permeability by water		[1]		[0]

X2X*

