

# TUNDRA BLUE

### Winter gloves

The gloves are made of the highest quality cow grain leather, both the palm area and the back side.

Inside, the gloves are fully lined with fur padding.

Additionally, they are provided with padded cuff.

They are an excellent solution to those who need both a top quality product and an innovative and attractive appearance.

They provide protection from mechanical hazards and contact cold. They are used for works carried out in low temperatures, outside and in cooling facilities.

The gloves meet general requirements for personal protective equipment provided in Regulation (EU) 2016/425 and in the Harmonized Standards: EN ISO 21420, EN 388 and EN 511.



### Technical Information:

Material:	cow grain leather
Performance level:	2243X, X3X
Sizes:	11
Order numbers:	R-I-TUNDRABLUE-02

### EN 388 Protective gloves against mechanical risks

EN 388	*Performance level	1	2	3	4	5	
	Resistance to abrasion / cycles	100	<b>500</b>	2000	8000	-	
	Cut resistance / index	1,2	<b>2,5</b>	5	10	20	
	Tear strength [N]	10	25	50	<b>75</b>	-	
	Puncture resistance [N]	20	<b>60</b>	<b>100</b>	150	-	
		A	B	C	D	E	
	Cut resistance (TDM) [N]	2	5	10	15	22	30

The letter X means that the test was not preformed.

### EN 511 Protective gloves against cold

EN 511	*Performance level	1	2	3	4
	Resistance to convective cold $I_{TR}$ [m <sup>2</sup> K/W]	$0.10 \leq I_{TR} < 0.15$	$0.15 \leq I_{TR} < 0.22$	$0.22 \leq I_{TR} < 0.30$	$0.30 \leq I_{TR}$
	Resistance to contact cold R [m <sup>2</sup> K/W]	$0.025 \leq R < 0.050$	$0.050 \leq R < 0.100$	<b><math>0.100 \leq R &lt; 0.150</math></b>	$0.150 \leq R$
	Permeability by water		[1]		[0]

